



OUR STRENGTHS ARE YOUR ADVANTAGE



COOPERATIVE

As a dedicated and collaborative partner, LEDVANCE boasts a vast, worldwide sales team and over a century of experience, ensuring we stand by your side at all times.



VERSATILE

Modern, smart, decorative, functional, robust and practical – our extensive portfolio meets customer requirements in all categories and virtually every area of application.



SALES-BOOSTING

Attract attention, encourage purchases. We offer targeted support for your sales with creative, pre-tested marketing concepts.



CARING

We are committed to contributing to a greener planet by reducing CO_2 emissions and waste through sustainable products, solutions and processes. We empower our customers to use light more efficiently to save energy and reduce their environmental footprint.



UNIQUE

Fresh, dynamic, high-quality and bold – we know at an early stage what interests customers and where lighting trends are heading. LEDVANCE is unmistakably LEDVANCE.



INNOVATION MEETS TRADITION

We embody progress and the passion to shape the future of lighting actively. By blending our courage to explore new paths with our experience from more than 100 years of lighting expertise, we lead the way forward.



ALL IN ONE


At LEDVANCE, we've got everything you need from a single source – LED luminaires, lamps, and Smart Home products. We offer you a wide range of innovative and market-driven solutions, setting new trends along the way.




FIRST-CHOICE PARTNER

As the perfect strategic ally, we offer an extensive portfolio, a robust sales network, and unparalleled global market access to fulfill all your requirements.

GLOBAL PRESENCE





As an exclusive licence partner, LEDVANCE offers all its general lighting solutions in the well-known OSRAM brand, creating even greater potential and generating even higher sales.

MAXIMUM BRAND AWARENESS: LIGHT MEANS OSRAM

OSRAM is the ultimate lighting expert, setting standards in lighting technology around the world for well over 100 years and epitomising quality, efficiency and progressive ideas.

INNOVATION AND TRADITION: THE CORNERSTONE OF YOUR SUCCESS

The licencing partnership with OSRAM allows LEDVANCE to offer you the best of both worlds – a well-known brand, innovative, sustainable products and a reliable partnership.

MANY PRODUCTS, ONE SUPPLIER: MORE THAN 1,500 NEW OSRAM-BRANDED PRODUCTS

LEDVANCE offers a huge selection of OSRAM-branded luminaires, lamps and smart solutions – anything from decorative luminaires and work lights to outdoor lighting. And everything from a single source.

OSRAM-BRANDED LIGHTING SOLUTIONS. A STRONG BRAND THAT IS THE KEY TO YOUR SUCCESS.

BROUGHT TO LIGHT: OUR NEW PACKAGING

Thanks to clear brand allocation, concise product information and graphic categorisation, customers can instantly find the right OSRAM product – regardless of placement.



OSRAM SEAL AND CATEGORY REFERENCE

so that the brand and application are instantly recognisable even when the product is placed horizontally

APPLICATION ICON

for clear categorisation









► A UNIFORM LOOK FOR ALL PRODUCTS

GOOD NEWS: OUR PRODUCT BROCHURES

Of course, we will continue to keep you posted about our product innovations and entire portfolio. You will recognise our new brochures by the OSRAM logo under the LEDVANCE lettering. And of course by their convincing content.







► EVERYTHING STAYS BETTER – INCLUDING OUR COMMUNICATION

SALES RIGHT DOWN THE LINE: OUR PRODUCT PRESENTATIONS AT THE POS

Our well-thought-out PoS concepts provide an attractive stage for your lighting products and also give you plenty of cross-selling options to help you generate considerable additional sales.









► ENORMOUS CROSS-SELLING POTENTIAL



CONTENT

LEDVANCE POWER THROUGH LIGHT	2
PRODUCTS	
DECOR SPOTLIGHTS	8
- DECOR SPOT HORNET	10
– DECOR SPOT MOON	12
– DECOR SPOT FIREFLY	14
- DECOR SPOT CORK	16
- DECOR SPOT PLUTO	18
- DECOR SPOT MERCURY	20
- DECOR SPOT VENUS	22
- DECOR SPOT JUPITER	24
- DECOR SPOT NEPTUNE	26
- DECOR SPOT MARS	28
SPOTLIGHTS	30
- LED SPOT PEAR	30
- LED SPOT OCTAGON	32
- LED SPOT GU10	34
- LED SPOT G9	38

TRACKLIGHTS	40
- SMART ⁺ WIFI TRACKLIGHT SPOT CIRCLE	44
– SMART ⁺ WIFI TRACKLIGHT SPOT OSAKA	46
- TRACKLIGHT SPOT CYLINDER	48
- TRACKLIGHT SPOT MINI CYLINDER	50
- TRACKLIGHT SPOT CYLINDER GOLD	52
- TRACKLIGHT PENDANT CYLINDER	54
- TRACKLIGHT ACCESSORIES	56
- TRACKLIGHT POWER SUPPLY	58
- TRACKLIGHT CONNECTOR	60
POS CONCEPTS	62
GLOSSARY	64



Step into the world of OSRAM spotlights, where advanced lighting meets sleek design for unmatched versatility. Our collection, offering a mix of socketed spotlights and spots with LED modules, brings ideal lighting solutions to any space.


Crafted for those who value a blend of style and functionality, these spotlights are a sustainable choice, enhancing the aesthetics of your environment with ease. Each spotlight is designed to integrate seamlessly into your decor, providing targeted illumination or a soft ambient glow as needed.


Built for durability and efficiency, our spotlights are flexible for various indoor settings and come with an IP20 rating for safety. Offering an energy-efficient lighting solution without compromising on elegance, these lights are the ideal choice for functional chic in lighting design.













Product colours












Product sizes (in mm)



145

























		No.	COLOR	MATERIAL	tim	W	оитрит	LIGHT SOURCE	K	CRI		(IP)	
Decor Spot Hornet 1x2.8w 827 E14	4058075 847743	1	Black/Gold	Steel/Polyester cotton	30 000	2.80	100	250	2700	80	285	IP20	100 000
Decor Spot Hornet 2x2.8w 827 E14	4058075 847767	2	Black/Gold	Steel/Polyester cotton	30 000	2.80	200	500	2700	80	285	IP20	100 000
Decor Spot Hornet 3x2.8w 827 E14	4058075 847781	3	Black/Gold	Steel/Polyester cotton	30 000	2.80	300	750	2700	80	285	IP20	100 000
Decor Spot Hornet 4x2.8w 827 E14	4058075 847804	4	Black/Gold	Steel/Polyester cotton	30 000	2.80	400	1 000	2700	80	285	IP20	100000

Product name	X NCL.	LED MODULE NTEGRATED	CONNECTOR	ACCES SORES NOUSES	[mm]	(mm)	(h	Ø d [mm]	
Decor Spot Hornet 1x2.8w 827 E14	1	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	100	145	145	_	4
Decor Spot Hornet 2x2.8w 827 E14	2	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	360	120	225	-	4
Decor Spot Hornet 3x2.8w 827 E14	3	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	625	120	225	-	4
Decor Spot Hornet 4x2.8w 827 E14	4	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	710	120	240	_	4

^{* 4058075847743 | ** 4058075847767 | *** 4058075847781 | **** 4058075847804}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser









DECOR SPOT MOON 3SPOT 16W



DECOR SPOT MOON 4SPOT CROSS 21W



DECOR SPOT MOON 4SPOT 21W



Product colours














Product sizes (in mm)

Decor Spot Moon 4Spot 21W 830 Black






4099854**472299**











2000



3,000



≥80

115



IP20



15 000

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	3 очтрит	Im LIGHT SOURCE	K	CRI		IP	
Decor Spot Moon 1Spot W 5.5W 830 Black	4099854 472190	1	Black	Steel	30 000	5.5	280	500	3 000	≥80	115	IP20	15 000
Decor Spot Moon 2Spot 10.5W 830 Black	4099854 472237	2	Black	Steel	30 000	10.5	560	1 000	3 000	≥80	115	IP20	15 000
Decor Spot Moon 3Spot 16W 830 Black	4099854 472275	3	Black	Steel	30 000	16.0	840	1 500	3 000	≥80	115	IP20	15 000
Decor Spot Moon 4Spot Cross 21W 830 Black	4099854 472336	4	Black	Steel	30 000	21.0	1120	2000	3 000	≥80	115	IP20	15 000

Steel

Black

30 000


21.0

1120

Product name	X INCL.	MODULE WITEGRATED	CONNECTOR	ACCES- SORIES INCLUDED	[mm]	W [mm]	(h	Ø d [mm]	
Decor Spot Moon 1Spot W 5.5W 830 Black		Not replaceable	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	120	120	94	_	4
Decor Spot Moon 2Spot 10.5W 830 Black	-	Not replaceable	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	350	120	119	-	4
Decor Spot Moon 3Spot 16W 830 Black	-	Not replaceable	Terminal, 3-Pole (L, N, PE)	Mounting screws,Plastic dowels,Mounting equipment	580	120	119	-	4
Decor Spot Moon 4Spot Cross 21W 830 Black	-	Not replaceable	Terminal, 3-Pole (L, N, PE)	Mounting screws,Plastic dowels,Mounting equipment	482	482	92	-	4
Decor Spot Moon 4Spot 21W 830 Black	-	Not replaceable	Terminal, 3-Pole (L, N, PE)	Mounting screws,Plastic dowels,Mounting equipment	810	120	119	-	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





DECOR SPOT FIREFLY 2X2.8W



DECOR SPOT FIREFLY PL 3X2.8W



DECOR SPOT FIREFLY 3X2.8W



DECOR SPOT FIREFLY 4X2.8W
























































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	Im ught source	K	CRI		IP
Decor Spot Firefly 1X2.8W 827 E14 Black	4099854 471971	1	Black	Steel/Glass	15 000	2.8	250	250	2700	80		IP20
Decor Spot Firefly 2X2.8W 827 E14 Black	4099854 472091	2	Black	Steel/Glass	15 000	5.6	500	500	2700	80		IP20
Decor Spot Firefly 3X2.8W E14 Black	4099854 474637	3	Black	Steel/Glass	15 000	8.4	750	750	2700	80	-	IP20
Decor Spot Firefly 3X2.8W 827 E14 Black	4099854 472114	4	Black	Steel/Glass	15 000	8.4	750	750	2700	80	-	IP20
Decor Snot Firefly AY2 8W 827 F14 Black	///0085// /72152	5	Black	Stool/Glace	15,000	11.2	1 000	1.000	2700	80	_	IP20

Product name	E \$	X O	CORRECTOR	ACCS- SORIES INJURED	[mm]	W [mm]	(h	Ø d [mm]	
Decor Spot Firefly 1X2.8W 827 E14 Black	100 000	1	Terminal, 2-Pole (L, N)	Mounting screws,Plastic dowels,Mounting equipment	105	145	152	-	4
Decor Spot Firefly 2X2.8W 827 E14 Black	100 000	2	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	385	105	176	-	4
Decor Spot Firefly 3X2.8W E14 Black	100 000	3	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	_	_	176	365	4
Decor Spot Firefly 3X2.8W 827 E14 Black	100 000	3	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	604	105	176	-	4
Decor Spot Firefly 4X2.8W 827 E14 Black	100 000	4	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	825	105	176	-	4

 $^{^{*}4099854471971 \}mid ^{**}4099854472091 \mid ^{***}4099854474637; 4099854472114 \mid ^{****}4099854472152 \mid ^{*****}4099854472091; 4099854474637; 4099854472114; 4099854472152 \mid ^{****}4099854472091; 4099854474637; 4099854472114; 4099854472152 \mid ^{****}4099854472091; 409985472091; 409985472091; 409985472091; 409985472091; 409985472091; 409985472091; 40998$

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser






DECOR SPOT CORK

Add a natural accent to your space. These cork-detailed spotlights offer warm lighting and flexible, sustainable functionality.

- Versatile: Highly adaptable spotlights that provide reliable lighting for indoor areas like hallways, bedrooms and basements.
- Decorative design: Combines aesthetics and functionality to give any room a special atmosphere and attractive lighting.
- Easy installation: Mounting is straightforward and completed in just a few minutes.
- Flexible: Replaceable LED lamps allow easy adjustment without needing to replace the entire light.
- Dimmable lighting: Brightness can be tailored to suit the atmosphere or mood.







DECOR SPOT CORK SPIRAL 3x3.4W



DECOR SPOT CORK 3x3.4W



DECOR SPOT CORK 4x3.4W




























































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	th 2	W	Іт 3	Im ught source	K	CRI		IP
Decor Spot Cork GU10 Black 1x3.4W 927 DIM	4099854 470615	1	Black	Steel/Cork	25 000	3.4	230	230	2700	90	36	IP20
Decor Spot Cork GU10 White 1x3.4W 927 DIM	4099854 470714	1	White	Steel/Cork	25 000	3.4	230	230	2700	90	36	IP20
Decor Spot Cork GU10 Black 2x3.4W 927 DIM	4099854 470639	2	Black	Steel/Cork	25 000	6.8	460	460	2700	90	36	IP20
Decor Spot Cork GU10 White 2x3.4W 927 DIM	4099854 470752	2	White	Steel/Cork	25 000	6.8	460	460	2700	90	36	IP20
Decor Spot Cork GU10 Black Spiral 3x3.4W 927 DIM	4099854 470653	3	Black	Steel/Cork	25 000	10.2	690	690	2700	90	36	IP20
Decor Spot Cork GU10 White Spiral 3x3.4W 927 DIM	4099854 470790	3	White	Steel/Cork	25 000	10.2	690	690	2700	90	36	IP20
Decor Spot Cork GU10 Black 3x3.4W 927 DIM	4099854 470677	4	Black	Steel/Cork	25 000	10.2	690	690	2700	90	36	IP20
Decor Spot Cork GU10 White 3x3.4W 927 DIM	4099854 470813	4	White	Steel/Cork	25 000	10.2	690	690	2700	90	36	IP20
Decor Spot Cork GU10 Black 4x3.4W 927 DIM	4099854 470691	5	Black	Steel/Cork	25 000	13.6	920	920	2700	90	36	IP20
Decor Spot Cork GU10 White 4x3.4W 927 DIM	4099854 470851	5	White	Steel/Cork	25 000	13.6	920	920	2700	90	36	IP20

Product name		X P	LED MODULE INTEGRATED	CONNECTOR	ACCES- SORIES INCLUSED	[mm]	W [mm]	(h.	Ø d [mm]	
Decor Spot Cork GU10 Black 1x3.4W 927 DIM	100 000	1	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	90	126	101	-	6
Decor Spot Cork GU10 White 1x3.4W 927 DIM	100 000	1	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	90	126	101	-	6
Decor Spot Cork GU10 Black 2x3.4W 927 DIM	100 000	2	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	338	100	136	_	4
Decor Spot Cork GU10 White 2x3.4W 927 DIM	100 000	2	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	338	100	136	_	4
Decor Spot Cork GU10 Black Spiral 3x3.4W 927 DIM	100 000	3	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	318	293	136	-	2
Decor Spot Cork GU10 White Spiral 3x3.4W 927 DIM	100 000	3	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	318	293	136	-	2
Decor Spot Cork GU10 Black 3x3.4W 927 DIM	100 000	3	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	577	100	136	-	4
Decor Spot Cork GU10 White 3x3.4W 927 DIM	100 000	3	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	577	100	136	-	4
Decor Spot Cork GU10 Black 4x3.4W 927 DIM	100 000	4	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	813	100	145	-	4
Decor Spot Cork GU10 White 4x3.4W 927 DIM	100 000	4	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	813	100	145	-	4

 $^{^{\}star}\,4099854470615;\,4099854470714\,|\,^{\star\star}\,4099854470639;\,4099854470752\,|\,^{\star\star\star}\,4099854470653;\,4099854470677;\,4099854470677;\,4099854470813\,|\,^{\star\star\star\star}\,4099854470813$

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	UGHT SOURCE 4	K	CRI		IP
4099854 470875	1	White	Steel/Wood	30 000	4.8	300	450	3 000	80	102	IP20
4099854 470950	1	Black	Steel/Wood	30 000	4.8	300	450	3 000	80	102	IP20
4099854 470899	2	White	Steel/Wood	30 000	9.6	615	900	3 000	80	102	IP20
4099854 470998	2	Black	Steel/Wood	30 000	9.6	615	900	3 000	80	102	IP20
4099854 470912	3	White	Steel/Wood	30 000	14.4	960	1 350	3 000	80	102	IP20
4099854 471018	3	Black	Steel/Wood	30 000	14.4	960	1 350	3 000	80	102	IP20
4099854 470936	4	White	Steel/Wood	30 000	19.2	1 250	1 800	3 000	80	102	IP20
4099854 471056	4	Black	Steel/Wood	30 000	19.2	1 250	1 800	3 000	80	102	IP20
	4099854470875 4099854470950 4099854470899 4099854470998 4099854470912 4099854471018 4099854470936	4099854470875 1 4099854470950 1 4099854470899 2 4099854470998 2 4099854470912 3 4099854471018 3 4099854470936 4	4099854470875 1 White 4099854470950 1 Black 4099854470999 2 White 4099854470998 2 Black 4099854470912 3 White 4099854471018 3 Black 4099854470936 4 White	4099854470875 1 White Steel/Wood 4099854470950 1 Black Steel/Wood 4099854470998 2 White Steel/Wood 4099854470998 2 Black Steel/Wood 4099854470912 3 White Steel/Wood 4099854471018 3 Black Steel/Wood 4099854470936 4 White Steel/Wood	4099854470875 1 White Steel/Wood 30 000 4099854470899 2 White Steel/Wood 30 000 4099854470998 2 Black Steel/Wood 30 000 4099854470912 3 White Steel/Wood 30 000 4099854471018 3 Black Steel/Wood 30 000 4099854471018 4 White Steel/Wood 30 000	4099854470975 1 White Steel/Wood 30 000 4.8 4099854470950 1 Black Steel/Wood 30 000 4.8 4099854470998 2 White Steel/Wood 30 000 9.6 4099854470998 2 Black Steel/Wood 30 000 9.6 4099854470912 3 White Steel/Wood 30 000 14.4 4099854471018 3 Black Steel/Wood 30 000 14.4 4099854470936 4 White Steel/Wood 30 000 19.2	4099854470976 1 White Steel/Wood 30 000 4.8 300 4099854470998 2 White Steel/Wood 30 000 9.6 615 4099854470998 2 Black Steel/Wood 30 000 9.6 615 4099854470912 3 White Steel/Wood 30 000 14.4 960 4099854471018 3 Black Steel/Wood 30 000 14.4 960 4099854470936 4 White Steel/Wood 30 000 19.2 1250	4099854470975 1 White Steel/Wood 30 000 4.8 300 450 4099854470950 1 Black Steel/Wood 30 000 4.8 300 450 4099854470998 2 White Steel/Wood 30 000 9.6 615 900 4099854470998 2 Black Steel/Wood 30 000 9.6 615 900 4099854470912 3 White Steel/Wood 30 000 14.4 960 1350 4099854471018 3 Black Steel/Wood 30 000 14.4 960 1350 4099854470936 4 White Steel/Wood 30 000 19.2 1250 1800	4099854470975 1 White Steel/Wood 30 000 4.8 300 450 3000 4099854470950 1 Black Steel/Wood 30 000 4.8 300 450 3000 4099854470999 2 White Steel/Wood 30 000 9.6 615 900 3000 4099854470998 2 Black Steel/Wood 30 000 9.6 615 900 3000 4099854470912 3 White Steel/Wood 30 000 14.4 960 1350 3000 4099854471018 3 Black Steel/Wood 30 000 14.4 960 1350 3000 4099854470936 4 White Steel/Wood 30 000 19.2 1250 1800 3000	4099854470875 1 White Steel/Wood 30 000 4.8 300 450 3000 80 4099854470899 2 White Steel/Wood 30 000 9.6 615 900 3000 80 4099854470998 2 Black Steel/Wood 30 000 9.6 615 900 3000 80 4099854470912 3 White Steel/Wood 30 000 14.4 960 1350 3000 80 4099854471018 3 Black Steel/Wood 30 000 14.4 960 1350 3000 80 4099854470936 4 White Steel/Wood 30 000 19.2 1250 1800 3000 80	4099854470975 1 White Steel/Wood 30 000 4.8 300 450 3000 80 102 4099854470998 2 White Steel/Wood 30 000 9.6 615 900 3000 80 102 4099854470998 2 Black Steel/Wood 30 000 9.6 615 900 3000 80 102 4099854470912 3 White Steel/Wood 30 000 14.4 960 1350 3000 80 102 4099854471018 3 Black Steel/Wood 30 000 14.4 960 1350 3000 80 102 4099854470936 4 White Steel/Wood 30 000 19.2 1250 1800 3000 80 102

	X ()	LED MODULE INTEGRATED	CONNECTOR	ACCES- SORIES NCLUDED	[mm]	W [mm]	(h	Ø d [mm]	a
				-					
15 000	_	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	90	122	90	-	6
15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	90	122	90	-	6
15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	298	90	108	-	4
15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	298	90	108	-	4
15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	498	90	108	-	4
15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	498	90	108	-	4
15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	698	90	108	-	4
15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	698	90	108	-	4
	15000 15000 15000 15000 15000 15000	15000 - 15000 - 15000 - 15000 - 15000 - 15000 - 15000 -	15000	15000	15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment	15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 90 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 90 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 298 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 298 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 498 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 498 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 698	15 000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 90 122 15 000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 90 122 15 000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 298 90 15 000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 298 90 15 000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 498 90 15 000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 498 90 15 000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 698 90	15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 90 122 90 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 90 122 90 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 298 90 108 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 298 90 108 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 498 90 108 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 498 90 108 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 498 90 108 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 698 90 108	15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 90 122 90 - 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 90 122 90 - 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 298 90 108 - 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 298 90 108 - 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 498 90 108 - 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 498 90 108 - 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 498 90 108 - 15000 - Not replaceable Terminal, 2-Pole (L, N) Mounting screws, Plastic dowels, Mounting equipment 698 90 108 -

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





DECOR SPOT MERCURY

Natural look, flexible light. This spotlight series blends modern wood-effect styling with adaptable function for a cosy atmosphere.

- Versatile: Designed for flexible use in any indoor area like hallways, bedrooms or basements.
- Decorative design: Combines aesthetics and functionality to give any room a special atmosphere and attractive lighting.
- Easy installation: Quick to mount in just a few minutes.
- Flexible: Replaceable LED lamps allow easy adjustment without needing to replace the entire light.
- Dimmable lighting: Brightness can be individually adjusted to match your desired atmosphere



DECOR SPOT MERCURY 2x3.4W



DECOR SPOT MERCURY 3x3.4W



DECOR SPOT MERCURY 4x3.4W



Product colours




































Decor Spot Mercury GU10 White 4x3.4W 927 DIM





4099854**471315**





White/Wood







920

920





2700



90

36

IP20



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	оптрит 3	Im UGHT SOURCE	K	CRI		IP
Decor Spot Mercury GU10 Black 1x3.4W 927 DIM	4099854 471070	1	Black/Wood	Steel/Wood	25 000	3.4	230	230	2700	90	36	IP20
Decor Spot Mercury GU10 White 1x3.4W 927 DIM	4099854 471193	1	White/Wood	Steel/Wood	25 000	3.4	230	230	2700	90	36	IP20
Decor Spot Mercury GU10 Black 2x3.4W 927 DIM	4099854 471094	2	Black/Wood	Steel/Wood	25 000	6.8	460	460	2700	90	36	IP20
Decor Spot Mercury GU10 White 2x3.4W 927 DIM	4099854 471230	2	White/Wood	Steel/Wood	25 000	6.8	460	460	2700	90	36	IP20
Decor Spot Mercury GU10 Black 3x3.4W 927 DIM	4099854 471131	3	Black/Wood	Steel/Wood	25 000	10.2	690	690	2700	90	36	IP20
Decor Spot Mercury GU10 White 3x3.4W 927 DIM	4099854 471292	3	White/Wood	Steel/Wood	25 000	10.2	690	690	2700	90	36	IP20
Decor Spot Mercury GU10 Black 4x3.4W 927 DIM	4099854 471155	4	Black/Wood	Steel/Wood	25 000	13.6	920	920	2700	90	36	IP20

Steel/Wood

25 000

13.6

Product name		X PINGL.	LED MODULE INTEGRATED	CONNECTOR	ACCES- SORIES INCLUSED	[mm]	W	(h	Ø d [mm]	
Decor Spot Mercury GU10 Black 1x3.4W 927 DIM	100 000	1	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	110	102	144	-	6
Decor Spot Mercury GU10 White 1x3.4W 927 DIM	100 000	1	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	110	102	144	-	6
Decor Spot Mercury GU10 Black 2x3.4W 927 DIM	100 000	2	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	400	100	142	-	4
Decor Spot Mercury GU10 White 2x3.4W 927 DIM	100 000	2	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	400	100	142	-	4
Decor Spot Mercury GU10 Black 3x3.4W 927 DIM	100 000	3	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	520	100	142	_	4
Decor Spot Mercury GU10 White 3x3.4W 927 DIM	100 000	3	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	520	100	142	_	4
Decor Spot Mercury GU10 Black 4x3.4W 927 DIM	100 000	4	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	600	100	142	_	4
Decor Spot Mercury GU10 White 4x3.4W 927 DIM	100 000	4	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	600	100	142	-	4

^{* 4099854471070; 4099854471193 | ** 4099854471094; 4099854471230 | *** 4099854471131; 4099854471292 | **** 4099854471155; 4099854471155}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser



DECOR SPOT VENUS

Elegant light where you need it most. Ideal for soft ambience or a quiet highlight in your favourite spaces.

- Versatile: Highly adaptable spotlights that provide reliable lighting for indoor areas like hallways, bedrooms and basements.
- Decorative design: Combines aesthetics and functionality to give any room a special atmosphere and attractive lighting
- Easy installation: Mounting takes only a few minutes, enjoy great light with minimal effort.
- Flexible: Adjustable heads enable the light to be directed to illuminate specific areas of a room.
- Pleasant lighting: Warm white light creates a cosy and comfortable atmosphere.










































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t M ²	W	lm 3	Im 4	K	CRI		IP
Decor Spot Venus White 1 Spot	4099854 471353	1	White	Steel	30 000	5.5	210	500	3 000	80	95	IP20
Decor Spot Venus Black 1 Spot	4099854 471377	1	Black	Steel	30 000	5.5	210	500	3 000	80	95	IP20
Decor Spot Venus White 2 Spot	4099854 474231	2	White	Steel	30 000	10.5	450	1 000	3 000	80	95	IP20
Decor Spot Venus Black 2 Spot	4099854 471414	2	Black	Steel	30 000	10.5	450	1 000	3 000	80	95	IP20
Decor Spot Venus White 3 Spot	4099854 474279	3	White	Steel	30 000	16.0	650	1 500	3 000	80	95	IP20
Decor Spot Venus Black 3 Spot	4099854 474316	3	Black	Steel	30 000	16.0	650	1 500	3 000	80	95	IP20
Decor Spot Venus White 4 Spot	4099854 474293	4	White	Steel	30 000	21.0	910	2000	3 000	80	95	IP20
Decor Spot Venus Black 4 Spot	4099854 474330	4	Black	Steel	30 000	21.0	910	2000	3 000	80	95	IP20

Product name		X P	LED MODULE NTEGRATED	CONNECTOR	ACCES- SORIES NEULOGO	[mm]	W [mm]	(h.	Ø d [mm]	a
					-					
Decor Spot Venus White 1 Spot	15000	_	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	125	140	120	_	4
Decor Spot Venus Black 1 Spot	15 000	_	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	125	140	120	-	4
Decor Spot Venus White 2 Spot	15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	300	100	105	-	4
Decor Spot Venus Black 2 Spot	15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	300	100	105	-	4
Decor Spot Venus White 3 Spot	15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	500	100	105	-	4
Decor Spot Venus Black 3 Spot	15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	500	100	105	-	4
Decor Spot Venus White 4 Spot	15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	695	100	105	-	4
Decor Spot Venus Black 4 Spot	15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	695	100	105	-	4

^{* 4099854471353}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





DECOR SPOT JUPITER 2 SPOT



DECOR SPOT JUPITER 3 SPOT



DECOR SPOT JUPITER PLATE



DECOR SPOT JUPITER 4 SPOT














































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	Im ught source	K	CRI		IP
Decor Spot Jupiter Silver 1 Spot	4099854 471438	1	Silver	Steel	30 000	5.8	185	500	3 000	80	65	IP20
Decor Spot Jupiter Silver 2 Spot	4099854 471452	2	Silver	Steel	30 000	11.5	410	1 000	3 000	80	65	IP20
Decor Spot Jupiter Silver 3 Spot	4099854 471476	3	Silver	Steel	30 000	16.5	550	1 500	3 000	80	65	IP20
Decor Spot Jupiter Silver Plate	4099854 471513	4	Silver	Steel	30 000	22.0	750	2000	3 000	80	65	IP20
Decor Spot Jupiter Silver 4 Spot	4099854 471490	5	Silver	Steel	30 000	22.0	730	2000	3 000	80	65	IP20

Product name		X NCL.	LED MODULE STEGRATED	CONNECTOR	ACCES- SORIES NICLUMED	[mm]	W [mm]	(h	Ø d [mm]	
Decor Spot Jupiter Silver 1 Spot	15000	_	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	130	155	80	_	6
Decor Spot Jupiter Silver 2 Spot	15 000	_	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	300	83	150	_	4
Decor Spot Jupiter Silver 3 Spot	15 000	_	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	500	83	155	-	4
Decor Spot Jupiter Silver Plate	15 000	_	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	260	260	155	_	3
Decor Spot Jupiter Silver 4 Spot	15 000	_	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	700	83	155	_	4

^{* 4099854471438 | ** 4099854471452; 4099854471476; 4099854471513; 4099854471490}


¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser



DECOR SPOT NEPTUNE

Create light that does more – reading, relaxing or guiding the way. This design balances clarity and comfort.

- Versatile: Highly adaptable spotlight for reliable indoor lighting in hallways, bedrooms, basements and other indoor spaces.
- Decorative design: Combines aesthetics with functionality to give any room a special atmosphere and attractive lighting.
- Easy installation: Quick and straightforward setup in just a few simple steps.
- Flexible: Adjustable head allows precise light direction for customised illumination. Click Select lets you choose whether the lighting is activated only on the canopy, only on the spot, or both via the wall switch.
- Pleasant lighting: Warm white colour temperature creates a cosy, welcoming ambience.



Product name		NCL.	LED MODULE NTEDRATED	COMMETTON	ACCES- SORIES RELUGE	[mm]	W	(h	Ø d [mm]	
Decor Spot Neptune CLICK-SELECT White 1 Spot	15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	90	137	300	_	4
Decor Spot Neptune CLICK-SELECT White 2 Spot	15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	508	90	140	-	4
Decor Spot Neptune CLICK-SELECT White 3 Spot	15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	708	90	140	-	4
Decor Spot Neptune CLICK-SELECT White 4 Spot	15 000	-	Not replaceable	Terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	708	90	140	-	4

^{* 4099854497834}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





DECOR SPOT MARS 2 SPOT

DECOR SPOT MARS 3 SPOT



Product colours













Product sizes (in mm)


























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _M ²	W	очтрит 3	Im 4 SOURCE 4	K	CRI		IP
Decor Spot Mars CLICK-SELECT Black 1 Spot	4099854 471674	1	Black	Steel/Acrylic	30 000	16.5	540	1 620	3 000	80	290	IP20
Decor Spot Mars CLICK-SELECT Black 2 Spot	4099854 471711	2	Black	Steel/Acrylic	30 000	29.0	985	3100	3 000	80	290	IP20
Decor Spot Mars CLICK-SELECT Black 3 Spot	4099854 471735	3	Black	Steel/Acrylic	30 000	41.0	1 425	4 4 4 4 0	3 000	80	290	IP20
Decor Spot Mars CLICK-SELECT Black 4 Spot	4099854 471773	4	Black	Steel/Acrylic	30 000	58.5	1 800	5780	3 000	80	290	IP20

Product name		X NOL.	MODULE INTEGRATED	CONNECTION	ACCES- DOTES MOLUME	[mm]	W	(h	Ø d [mm]	a
Decor Spot Mars CLICK-SELECT Black 1 Spot	15 000	_	Not replaceable	Screwless terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	120	130	200	_	4
Decor Spot Mars CLICK-SELECT Black 2 Spot	15 000	-	Not replaceable	Screwless terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	408	120	148	_	4
Decor Spot Mars CLICK-SELECT Black 3 Spot	15 000	-	Not replaceable	Screwless terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	558	120	148	-	4
Decor Spot Mars CLICK-SELECT Black 4 Spot	15 000	-	Not replaceable	Screwless terminal, 2-Pole (L, N)	Mounting screws, Plastic dowels, Mounting equipment	713	120	148	-	4

^{* 4099854471674}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	LIGHT SOURCE	K	CRI
LED Spot Pear 1 x 4.3W 2700K GU10	4099854 473760	1	White	Plastic/Metal	30 000	4.3	210	350	2700	80
LED Spot Pear 1 x 4.3W 2700K GU10	4099854 473845	1	Gray	Plastic/Metal	30 000	4.3	210	350	2700	80
LED Spot Pear 1 x 4.3W 2700K GU10	4099854 473920	1	Black	Plastic/Metal	30 000	4.3	210	350	2700	80
LED Spot Pear 2 x 4.3W 2700K GU10	4099854 473784	2	White	Plastic/Metal	30 000	8.6	420	700	2700	80
LED Spot Pear 2 x 4.3W 2700K GU10	4099854 473869	2	Gray	Plastic/Metal	30 000	8.6	420	700	2700	80
LED Spot Pear 2 x 4.3W 2700K GU10	4099854 473944	2	Black	Plastic/Metal	30 000	8.6	420	700	2700	80
LED Spot Pear 3 x 4.3W 2700K GU10	4099854 473807	3	White	Plastic/Metal	30 000	12.9	630	1 050	2700	80
LED Spot Pear 3 x 4.3W 2700K GU10	4099854 473883	3	Gray	Plastic/Metal	30 000	12.9	630	1 050	2700	80
LED Spot Pear 3 x 4.3W 2700K GU10	4099854 473968	3	Black	Plastic/Metal	30 000	12.9	630	1 050	2700	80
LED Spot Pear 4 x 4.3W 2700K GU10	4099854 473821	4	White	Plastic/Metal	30 000	17.2	840	1 400	2700	80
LED Spot Pear 4 x 4.3W 2700K GU10	4099854 473906	4	Gray	Plastic/Metal	30 000	17.2	840	1 400	2700	80
LED Spot Pear 4 x 4.3W 2700K GU10	4099854 473982	4	Black	Plastic/Metal	30 000	17.2	840	1 400	2700	80

^{* 4099854473760; 4099854473845; 4099854473920}

^{** 4099854473784; 4099854473869; 4099854473944}


^{*** 4099854473807; 4099854473883; 4099854473968}


^{**** 4099854473821; 4099854473906; 4099854473982}


¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser

⁴ Total luminous flux of the contained light sources without the diffuser









Product colours






















































	IP		X INCL.	MODULE INTEGRATED	CONNECTOR	ACCES. SORIES NOLUMED	[mm]	[mm]	(h)	Ø d [mm]	3
						-					
36	IP20	100 000	1	-	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	80	110	92	_	6
36	IP20	100 000	1	-	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	80	110	92	-	6
36	IP20	100 000	1	-	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	80	110	92	_	6
36	IP20	100 000	2	-	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	274	60	131	-	6
36	IP20	100 000	2	-	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	274	60	131	-	6
36	IP20	100 000	2	-	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	274	60	131	-	6
36	IP20	100 000	3	-	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	444	60	131	-	6
36	IP20	100 000	3	-	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	444	60	131	-	6
36	IP20	100 000	3	-	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	444	60	131	-	6
36	IP20	100 000	4	-	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	614	60	131	-	6
36	IP20	100 000	4	_	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	614	60	131	_	6
36	IP20	100 000	4	_	Screw terminal, 3-Pole	Mounting screws, Plastic dowels, Mounting equipment	614	60	131	_	6

ED SPOT OCTAGON Bring form and function together. A sleek spotlight solution with flexible heads and reliable warm white lighting. - Pleasant lighting: Our indoor lights conjure up a cosy atmosphere with their warm white light colour, ideal for relaxing evenings or socialising with family and friends. - High-quality materials: Our indoor lights have a robust, matt finish for attractive aesthetics and long-lasting durability. - Flexible: Replaceable LED lamps allow lighting to be adjusted without needing to replace the entire fixture. Versatile: Suitable for corridors, entrance areas, stairwells, living rooms, basements and bedrooms, ensuring reliable lighting anywhere indoors. Decorative design or dimmable lighting: Depending on the model, enjoy either elegant form or adjustable brightness for the right mood.






Product name		X INGL.	LED MODULE INTEGRATED	CONNECTOR	ACCES- SORIES INCLUDED	[mm]	W [mm]	ţ <u>h</u>	Ø d [mm]	6
LED Spot Octagon GU10 Black 1x3.4W 927 DIM	100000	1	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	90	83	105	-	6
LED Spot Octagon GU10 White 1x3.4W 927 DIM	100 000	1	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	90	83	105	-	6
LED Spot Octagon GU10 Black 2x3.4W 927 DIM	100000	2	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	260	60	140	-	6
LED Spot Octagon GU10 White 2x3.4W 927 DIM	100000	2	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	260	60	140	-	6
LED Spot Octagon GU10 Black 3x3.4W 927 DIM	100000	3	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	430	60	140	-	6
LED Spot Octagon GU10 White 3x3.4W 927 DIM	100000	3	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	430	60	140	-	6
LED Spot Octagon GU10 Black Plate 4x3.4W 927 DIM	100000	4	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	200	200	140	-	4
LED Spot Octagon GU10 White Plate 4x3.4W 927 DIM	100000	4	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	200	200	140	_	4
LED Spot Octagon GU10 Black 4x3.4W 927 DIM	100000	4	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	600	60	140	-	4
LED Spot Octagon GU10 White 4x3.4W 927 DIM	100000	4	_	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	600	60	140	-	4

^{* 4099854474002; 4099854474118 | ** 4099854474026; 4099854474132 | *** 4099854474040; 409985447416 | **** 4099854474064; 4099854474187; 4099854474088; 4099854474200}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser

⁴ Total luminous flux of the contained light sources without the diffuser






		INCL.	MODULE	TYPE	SORIES	[mm]	[mm]	jimmj	(mm)	
LED Spot GU10 Black 1 X 3.4W 927 DIM	100000	1	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	80	80	130	-	8
LED Spot GU10 White 1 X 3.4W 927 DIM	100000	1	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	80	80	130	-	8
LED Spot GU10 Black 2 X 3.4W 927 DIM	100000	2	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	256	90	155	-	8
LED Spot GU10 White 2 X 3.4W 927 DIM	100 000	2	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	256	90	155	-	8
LED Spot GU10 Black 3 X 3.4W 927 DIM	100 000	3	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	486	90	155	-	4
LED Spot GU10 White 3 X 3.4W 927 DIM	100 000	3	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	486	90	155	-	4
LED Spot GU10 Black 4 X 3.4W 927 DIM	100 000	4	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	684	90	155	-	4
LED Spot GU10 White 4 X 3.4W 927 DIM	100 000	4	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	684	90	155	_	4
LED Spot GU10 Black 6 X 3.4W 927 DIM	100 000	6	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	1 198	90	176	_	4
LED Spot GU10 White 6 X 3.4W 927 DIM	100 000	6	-	Terminal, 3-Pole (L, N, PE)	Mounting screws, Plastic dowels, Mounting equipment	1198	90	176	_	4

^{* 4099854474538 | ** 4099854474578 | ** 4099854474578; 4099854474552 | *** 4099854474433; 4099854474576 | *** 4099854474491; 4099854474590 | **** 4099854474514; 4099854474613}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser






WARM LIGHT 6x 3.4W	6x 4x 2.6W	**** 4x	****	3x 2.6W	8X ***	2x 2.6W	/ ** 2)	**	1x 2.6W 1	X X	36°	5Y GUARANTEE
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	оптрит 3	Im ught source	K	CRI		IP
LED Spot GU10 2.6W 2700K	4099854 473548	1	Silver	Aluminium	15 000	2.6	230	230	2700	80	36	IP20
LED Spot GU10 2 x 2.6W 2700K	4099854 473401	2	Silver	Aluminium	15 000	5.2	460	460	2700	80	36	IP20
LED Spot GU10 3 x 2.6W 2700K	4099854 473562	3	Silver	Aluminium	15 000	7.8	690	690	2700	80	36	IP20
LED Spot GU10 4 x 2.6W 2700K	4099854 473586	4	Silver	Aluminium	15 000	10.4	920	920	2700	80	36	IP20
LED Spot GU10 6 x 2.6W 2700K	4099854 473746	5	Silver	Aluminium	15 000	15.6	1 380	1 380	2700	80	36	IP20

Product name		X D	MODULE INTEGRATED	CONNECTOR	ACCES- SORIES NCLUSED	[mm]	W	(h	Ø d [mm]	3
LED Spot GU10 2.6W 2700K	10 000	1	-	Screw terminal	Mounting screws, Plastic dowels, Mounting equipment	80	80	146	-	8
LED Spot GU10 2 x 2.6W 2700K	10 000	2	-	Screw terminal	Mounting screws, Plastic dowels, Mounting equipment	256	90	170	-	8
LED Spot GU10 3 x 2.6W 2700K	10 000	3	-	Screw terminal	Mounting screws, Plastic dowels, Mounting equipment	486	90	170	_	4
LED Spot GU10 4 x 2.6W 2700K	10 000	4	-	Screw terminal	Mounting screws, Plastic dowels, Mounting equipment	486	90	170	_	4
LED Spot GU10 6 x 2.6W 2700K	10 000	6	_	Screw terminal	Mounting screws, Plastic dowels, Mounting equipment	1198	90	188	-	4

 $^{^{\}star}\,4099854473548\,|\,^{\star\star}\,4099854473401\,|\,^{\star\star\star}\,4099854473562\,|\,^{\star\star\star\star}\,4099854473586\,|\,^{\star\star\star\star\star}\,4099854473746$

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser






WARM 6x LIGHT 1.9 W	6x 4x 1.9W	**** 4x INCL.	****	3x .9W	X ***	2x 1.9W	** 2x INCL.	**	1x .9W INC	<u>с</u> щ*		5Y SUARANTEE
Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	оптрит 3	Im ught source	K	CRI		P
LED Spot G9 1.9W 2700K	4099854 473289	1	Silver	Aluminium	15 000	1.9	200	230	2700	80	300	IP20
LED Spot G9 2 x 1.9W 2700K	4099854 473302	2	Silver	Aluminium	15 000	3.8	400	460	2700	80	300	IP20
LED Spot G9 3 x 1.9W 2700K	4099854 473326	3	Silver	Aluminium	15 000	5.7	600	690	2700	80	300	IP20
LED Spot G9 4 x 1.9W 2700K	4099854 473340	4	Silver	Aluminium	15 000	7.6	800	920	2700	80	300	IP20
LED Spot G9 6 x 1.9W 2700K	4099854 473364	5	Silver	Aluminium	15 000	11.4	1 200	1 380	2700	80	300	IP20

Product name		INGL.	MODULE INTEGRATED	COMNECTOR	ACCES- SORIES INCLUSTO	[mm]	W	(h	Ø d [mm]	
LED Spot G9 1.9W 2700K	10 000	1	-	Screw terminal	Mounting screws, Plastic dowels, Mounting equipment	80	80	142	-	8
LED Spot G9 2 x 1.9W 2700K	10 000	2	-	Screw terminal	Mounting screws, Plastic dowels, Mounting equipment	256	90	165	-	8
LED Spot G9 3 x 1.9W 2700K	10 000	3	-	Screw terminal	Mounting screws, Plastic dowels, Mounting equipment	486	90	165	-	4
LED Spot G9 4 x 1.9W 2700K	10 000	4	-	Screw terminal	Mounting screws, Plastic dowels, Mounting equipment	646	90	165	-	4
LED Spot G9 6 x 1.9W 2700K	10 000	6	-	Screw terminal	Mounting screws, Plastic dowels, Mounting equipment	1 198	90	182	-	4

 $^{^{*}\,4099854473289\,|\,^{***}\,4099854473302\,|\,^{****}\,4099854473326\,|\,^{*****}\,4099854473340\,|\,^{******}\,4099854473364}$

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser







THE ENTIRE SYSTEM

EASY TO INSTALL - SIMPLE TO COMBINE!

CHOOSE THE BASE ELEMENT:
A RAIL (1M) OR A ROUND BASE, IN BLACK OR WHITE



2 SELECT
THE POWER POINT



Supply connector for powering the rail from the left or right end.

A supply connector is included with the rail.

Middle power supply for symmetrical solutions.


A middle power supply has to be ordered separately.

3 SELECT THE CONNECTION ELEMENT TO EXPAND THE SYSTEM




4 CHOOSE THE SPOT(S)

SMART⁺ WIFI spot(s) incl. integrated LED module



Spot(s) without a light source (individually equipped with smart or non-smart GU10 reflector lamps)




YOUR TRACKLIGHT SYSTEM IS FINISHED!

































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _M ²	W	lm 3	Im ught source	K	CRI		IP
SMART+ Wifi Tracklight Spot Circle White TW	4099854 474705	1	White	Steel	30 000	6.5	450	480	30006500	80	270	IP20
SMART+ Wifi Tracklight Spot Circle Black TW	4099854 474682	1	Black	Steel	30 000	6.5	350	480	30006500	80	270	IP20

Product name		X NCL.	LED MODULE INTEGRATED	CONNECTOR	ACCES- SORIES INCLUDED	[mm]	W [mm]	ţh Inni	Ø d [mm]	
SMART+ Wifi Tracklight Spot Circle White TW	15 000	_	Not replaceable	Terminal, 2-pin	-	95	120	120	_	24
SMART+ Wifi Tracklight Spot Circle Black TW	15 000	_	Not replaceable	Terminal, 2-pin	-	95	120	120	-	24

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser

SMART⁺ WIFI TRACK-LIGHT SPOT OSAKA Enhance your space with our sleek, smart directional tracklight spots where simplicity meets cutting-edge control. Ideal light: Features adjustable white light from a warm 3000K to a daylight-like 6500K and is dimmable to suit your needs. SMART⁺ control: Easily controlled via SMART⁺ WiFi, smartphone app or smart speakers including Alexa, Google or others, and through a traditional light switch. Long life: Up to 30,000 hours of bright and energy-saving performance. Versatile: Perfect for indoor areas such as kitchens, living rooms, hallways, entrances, bedrooms, and home offices. IP20 protection: Ideal for dry indoor environments like living rooms


and studies, safeguarding against contact with live parts, not designed

for damp conditions.

46





























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	Im 4	K	CRI		P
SMART+ Wifi Tracklight Spot Osaka White TW	4099854 474767	1	White	Steel	30 000	8.0	250	500	30006500	80	80	IP20
SMART+ Wifi Tracklight Spot Osaka Black TW	4099854 474743	1	Black	Steel	30 000	8.0	230	500	30006500	80	80	IP20

Product name		X PICL.	LED MODULE INTEGRATED	CONNECTOR	ACCES- SORIES INCLUDED	[mm]	W [mm]	(h)	Ø d [mm]	
SMART+ Wifi Tracklight Spot Osaka White TW	15 000		Not replaceable	Terminal, 2-pin	_	140	65	92		24
SMART+ Wifi Tracklight Spot Osaka Black TW	15 000		Not replaceable	Terminal, 2-pin		140	65	92		24

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	Im ught source	K	CRI		P
Tracklight Spot Cylinder GU10 White	4099854 455407	1	White	Steel	-	-	-	-	-	-	-	IP20
Tracklight Spot Cylinder GU10 Black	4099854 455308	1	Black	Steel	-	-	-	-	-	-	-	IP20


Product name		X O	LED MODULE INTEGRATED	CONNECTOR	ACCES- SORIES INCLUDED	[mm]	W	(h	Ø d [mm]		
Tracklight Spot Cylinder GU10 White	_	_	_	_	_	140	55	130	_	24	
Tracklight Spot Cylinder GU10 Black			_	-	_	140	55	130	-	24	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser

RACKLIGHT SPOT INI CYLINDER The sleek, smart versatility of our mini track spotlights will brighten up any Flexible use: Features a GU10 base for easy lamp replacement, compatible with both normal and smart lamps. Varied: Directional track head can be adjusted to suit personal lighting Stylish look: Modern, loft-like design crafted from metal and acrylic glass for a sleek appearance. Versatile: Perfect for various indoor applications like kitchens, living rooms, hallways, and office spaces. IP20 protection: Offers finger protection against live components with IP20 rating, ideal for dry indoor areas, not designed for damp conditions.

























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	Im 4	K	CRI		IP
Tracklight Spot Mini Cylinder GU10 White	4099854 455445	1	White	Steel								IP20
Tracklight Spot Mini Cylinder GU10 Black	4099854 455421	1	Black	Steel	-	-	_	_	_	-	_	IP20

Product name	X NCL.	LED MODULE NTEGRATED	CONNECTOR	ACCES- SORIES INCLUDED	[mm]	W	(h	Ø d [mm]	3	
Tracklight Spot Mini Cylinder GU10 White	 				135	65	93		24	
Tracklight Spot Mini Cylinder GU10 Black	 				135	65	93		24	


¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser





























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	lm ught source	K	CRI		(IP)
Tracklight Spot Cylinder Gold GU10 White	4099854 455346	1	White/Gold	Steel	-	-	-	-	-	-	-	IP20
Tracklight Spot Cylinder Gold GU10 Black	4099854 455322	1	Black/Gold	Steel	_	-	-	-	-	_	-	IP20

Product name		X O	LED MODULE NTEGRATED	CONNECTOR	ACCES- SORIES INCLUDED	[mm]	[mm]	Îh Immi	Ø d [mm]		
Tracklight Spot Cylinder Gold GU10 White	-	-	-	-	-	142	65	93	-	24	
Tracklight Spot Cylinder Gold GU10 Black	_	_	_	-	-	142	65	93	_	24	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser

Subtle elegance meets functionality – this pendant spot adapts to any interior with clean lines and flexible design. - Stylish: This track pendant light is designed for lamps with GU10 base and offers a versatile lighting solution for modern spaces. Timeless: Metal housing provides robust design that fits in different room concepts. - Elegant: The light is suitable for contemporary interiors and adds accents. - Flexible: Due to height adjustability, the light can be individually adapted to support different lighting moods and functions. Versatile: Pendant light ideal for kitchen, living room, children's room or office, providing efficient lighting. 54

























Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	Im ught source	K	CRI		IP
Tracklight Pendant Cylinder GU10 White	4099854 455247	1	White	Steel	_	-	_	_	-	_		IP20
Tracklight Pendant Cylinder GU10 Black	4099854 455223	1	Black	Steel	-	-	-	-	-	-	-	IP20


Product name		X O	LED MODULE STEGRATED	CONNECTOR	ACCES- SORIES INCLUDED	[mm]	W [mm]	(h	Ød		
Tracklight Pendant Cylinder GU10 White	-	-	-	-	Mounting equipment	-	-	1 500	55	12	
Tracklight Pendant Cylinder GU10 Black	-	-	-	-	Mounting equipment		-	1 500	55	12	

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser






























Product name	GTIN (EAN)	COLOR	MATERIAL	IP	CONNECTOR	ACCES- SORIES NCLUDED	[mm]	W [mm]	(h	Ø d [mm]	4
Tracklight Round Base Black	4099854 507595	Black	Plastic (PC)	IP20	Terminal, 2-pin	Mounting screws, Plastic dowels	-	-	32	100	25
Tracklight Round Base White	4099854 507632	White	Plastic (PC)	IP20	Terminal, 2-pin	Mounting screws, Plastic dowels	-	_	32	100	25
Tracklight Suspension Kit White	4099854 509117	White	Aluminium/Steel	IP20	-	-	61	33	47	40	50
Tracklight Suspension Kit Black	4099854 509148	Black	Aluminium/Steel	IP20	-	-	61	33	47	40	50
Tracklight Rail 1M White	4099854 507687	White	Aluminium	IP20	Terminal, 2-pin	Mounting screws, Plastic dowels	1 000	35	18	-	16
Tracklight Rail 1M Black	4099854 507717	Black	Aluminium	IP20	Terminal, 2-pin	Mounting screws, Plastic dowels	1 000	35	18	-	16

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser



TRACKLIGHT POWER SUPPLY

Every track system starts with power. These components ensure your lighting is energised, safe and ready to go.

- High quality: The modular rail system allows versatile lighting concepts tailored to your interior.
- Practical: Designed for quick, secure integration into the rail system with minimal effort.
- Universally applicable: The clean design integrates well into modern and classic interiors.
- Durable: Robust plastic and copper materials ensure long-term reliability and performance.
- Versatile: Suitable for all indoor settings, from kitchens and hallways to living and children's rooms.



















Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	оптрит 3	Im ught source	K	CRI		P
Tracklight Supply Connector White	4099854 507830	1	White	Plastic/Copper	_	_		_	-		_	IP20
Tracklight Supply Connector Black	4099854 507861	1	Black	Plastic/Copper	_	-	_	-	-	-	-	IP20
Tracklight Middle Power Supply White	4099854 447259	2	White	Plastic/Copper	-	-	_	-	-	-	-	IP20
Tracklight Middle Power Supply Black	4099854 447280	2	Black	Plastic/Copper	_	-	-	-	-	-	-	IP20

Product name		X NCL.	LED MODULE INTEGRATED	CONNECTOR	ACCES- SORIES NCLUDED	[mm]	W	(h)	Ø d [mm]		
Tracklight Supply Connector White	-	-	-	Terminal, 2-pin	_	104	35	18	-	50	
Tracklight Supply Connector Black	-	-	-	Terminal, 2-pin	-	104	35	18	-	50	
Tracklight Middle Power Supply White	-	-	-	Terminal, 3-pin	-	172	35	18	-	6	
Tracklight Middle Power Supply Black	-	_	-	Terminal, 3-pin	-	172	35	18	-	6	

^{* 4099854386602; 4099854386633}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser



Transform your space with a click - our elegant track connectors offer the versatility to customise your lighting layout for any room.

- Optional accessories: Connectors for linear, corner, cross, pendant or flexible rail connections.
- Varied: Enable power supply and versatile configurations depending on your needs.
- Stylish look: Made from durable plastic with a clean, loft-inspired design.
- Versatile: Suitable for use in kitchens, living rooms, hallways, bedrooms and home offices.
- No splash water protection: Designed for dry indoor use only.

























Product sizes (in mm)

















Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t [h] ²	W	lm 3	Im ught source	K	CRI		IP
Tracklight Linear Connector White	4099854 508295	1	White	Plastic/Copper	_	-	_	_	-	-	_	IP20
Tracklight Linear Connector Black	4099854 508431	1	Black	Plastic/Copper	_	_	_	-	-	-	_	IP20
Tracklight Pendant Connector White	4099854 447174	2	White	Plastic/Copper	_	_	-	-	-	-	-	IP20
Tracklight Pendant Connector Black	4099854 447228	2	Black	Plastic/Copper	_	_	-	-	-	-	-	IP20
Tracklight Corner Connector White	4099854 508769	3	White	Plastic/Copper	_	_	-	-	-	-	-	IP20
Tracklight Corner Connector Black	4099854 508790	3	Black	Plastic/Copper	_	-	-	-	-	-	-	IP20
Tracklight Cross Connector White	4099854 508998	4	White	Plastic/Copper	_	-	-	-	-	-	-	IP20
Tracklight Cross Connector Black	4099854 509025	4	Black	Plastic/Copper	-	-	-	-	-	-	-	IP20
Tracklight Flexible Connector White	4099854 508875	5	White	Plastic/Copper	-	-	-	-	-	-	-	IP20
Tracklight Flexible Connector Black	4099854 508929	5	Black	Plastic/Copper	-	-	-	-	-	-	-	IP20

Product name		X NCL.	LED MODULE INTEGRATED	CONNECTOR	ACCES- SORIES NCLUDED	[mm]	(mm)	(h.	Ø d [mm]	
Tracklight Linear Connector White						64	35	18	_	100
Tracklight Linear Connector Black		_	_	_	_	64	35	18	_	100
Tracklight Pendant Connector White	_	-	_	-	-	81	34	40	-	6
Tracklight Pendant Connector Black	-	-	-	_	_	81	34	40	-	6
Tracklight Corner Connector White	-	-	_	-	-	104	104	18	_	50
Tracklight Corner Connector Black	-	-	-	-	-	104	104	18	-	50
Tracklight Cross Connector White	-	-	-	-	-	172	172	18	-	25
Tracklight Cross Connector Black	-	-	-	-	-	172	172	18	-	25
Tracklight Flexible Connector White	_	-	-	-	-	290	35	18	-	25
Tracklight Flexible Connector Black	_	_	_	_	_	290	35	18	_	25

^{* 4099854386541; 4099854386572}

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser 4 Total luminous flux of the contained light sources without the diffuser









ATTRACTIVE SHELF DESIGN

A shelf full of ready-made incentives. See a variety of well-engineered and customised spotlight and tracklight packages. Our shelves are eyecatching and perfectly designed to meet the needs of target audiences.

Product-specific details and features are presented in a clear and intuitive style to make the broad variety of our spotlight and tracklight portfolio intuitively understandable for your customers.






COMPACT DISPLAYS

Appealing, informative and space efficient.

Tailored to your needs, our eye-catching displays provide a high-quality product presentation.


SYMBOLS IN THE TABLES



PRODUCT-SPECIFIC SYMBOLS

3Y SY GUARANTEE SY PARTIAL GUARANTEE	Consumer guarantee for luminaires
WARM COOL WARM LIGHT	Light colours
GU10	Suitable for light sources with defined base

PRODUCT-SPECIFIC SYMBOLS



Beam angle 101



3x

OSRAM 3x E14 lamp included



OSRAM 4x E14 lamp included

household waste





ABOUT LEDVANCE

With business activities in over 140 countries, LEDVANCE is one of the world's leading companies in the field of general lighting. Originating from the general lighting division of OSRAM GmbH, LEDVANCE 's portfolio includes LED lamps and luminaires, intelligent lighting products, traditional lamps and renewable energy solutions. #POWERTHROUGHLIGHT

LEDVANCE GmbH Parkring 1-5 85748 Garching Germany www.ledvance.com

Customer Service Centre: kundenservice.retail@ledvance.com Germany: Phone: +49 89 780673-660 Austria: Phone: +43 1 68068

LEDVANCE is a licensee for the product trademark OSRAM for lamps & luminaire products in general lighting.