

PRODUCT DATASHEET HB PC REFRACTOR 147 190 210W

HIGH BAY REFRACTOR GEN 4 | Refractors for HIGH BAY GEN 4 luminaires



Product features

- High quality polycarbonate refractor


TECHNICAL DATA

Photometrical data

| Beam angle 70 ° |
|-----------------|
|-----------------|

Dimensions & Weight

| Diameter | 480 mm |
|----------------|-----------|
| Height | 250 mm |
| Product weight | 1000.00 g |



Materials & Colors

| Product color | Transparent |
|---------------|--------------------|
| Body material | Polycarbonate (PC) |

Application & Mounting

| Protection class IK (shock resistance) | IK08 |
|----------------------------------------|-----------|
| Mounting location | Luminaire |
| Replaceable light source | No |

Certificates & Standards

| Ball shot safe | No |
|----------------|----|
|----------------|----|

DOWNLOAD DATA

| | Documents and certificates | Document name |
|-----|----------------------------------------|------------------|
| POF | User instruction / safety instructions | UI HIGHBAY GEN 4 |

| Tender texts | Document name |
|------------------|------------------------------------------|
| Tender documents | HIGH BAY REFRACTOR GEN 4 147 190 210W-EN |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075699373 | BAG 1 | | 1102.00 g | |
| 4058075699380 | Shipping box | 482 mm x 352 mm x 462 mm | 3220.00 g | 78.38 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.