

# PRODUCT DATASHEET Tracklight Round Base Black

Tracklight rail and base | Tracklight rail and base



### Areas of application

- Kitchens, living rooms, children's rooms or home offices
- Entrance areas

## Product benefits

- Timeless elegant design
- Made of solid aluminum with high-quality appearance

#### **Product features**

- Customisable modular tracklight system




### **TECHNICAL DATA**

## Electrical data

Nominal voltage	220240 V
Mains frequency	50/60 Hz
Protection class	I

# **Dimensions & Weight**

Diameter	100 mm
Height	32.0 mm
Product weight	90.00 g



#### Materials & Colors

Product color	Black
Body material	Polycarbonate (PC)

# Application & Mounting

Ambient temperature range	-20+40 °C
Type of connection	Terminal, 2-pin
Type of protection	IP20
Mounting type	Surface
Mounting location	All surfaces

## Certificates & Standards

Standards	CE / UKCA
Ball shot safe	No

# Accessories Optional

Tracklight Linear Connector Black	4058075764026
Tracklight Supply Connector Black	4058075763982
Tracklight Cross Connector Black	4058075764149
Tracklight Suspension Kit Black	4058075764187
Tracklight Flexible Connector Black	4058075764101
Tracklight Corner Connector Black	4058075764064

# Safety advice

- All electrical connections must be made by a qualified person.

- Caution, risk of electric shock.

- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

## DOWNLOAD DATA

	Documents and certificates	Document name	
POF	User instruction / safety instructions	TRACKLIGHT ROUND BASE	
POF	Declarations of conformity	TRACKLIGHT	
PDF	Declarations of conformity UKCA	TRACKLIGHT ACCESSORIES	

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075764200	BAG 1	35 mm x 170 mm x 240 mm	98.00 g	1.43 dm <sup>3</sup>
4058075764217	Shipping box 25	377 mm x 202 mm x 215 mm	2765.00 g	16.37 dm <sup>3</sup>
4099854114120	Shipping box 8	290 mm x 130 mm x 110 mm	929.00 g	4.15 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.