

PRODUCT DATASHEET Tracklight Spot Cylinder Gold GU10 Black

TRACKLIGHT SPOT CYLINDER GOLD | Tracklight spot with socket GU10



Areas of application

- Kitchens, living rooms, children's rooms or home offices
- Entrance areas

Product benefits

- Can be rotated and swiveled for optimum illumination
- Timeless elegant design
- Quick and easy lamp replacement
- High-quality materials

Product features

- Customisable modular tracklight system




TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	II

Dimensions & Weight

Length	142.00 mm
Width	65.00 mm
Height	93.00 mm
Product weight	170.00 g



GTRACKLIGHT SPOT CYLINDER GD WT GU10MiPRCmnk

Materials & Colors

Product color	Black/Gold
Housing color	Black/Gold
Body material	Steel
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20+40 °C
Type of protection	IP20
Dimmable	No
Mounting type	Surface
Application environment	Indoor
With light source	No

Replaceable light source	No
Holder designation	GU10

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No

Additional product data

Number of illuminants	1

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

	Documents and certificates	Document name	
User instruction / safety instructions TRACKLIGHT SPOT MINICYLINDER_CYLINDER		TRACKLIGHT SPOT MINICYLINDER_CYLINDER	
PDF	Legal information	Safety insert G11219301	
PDF	Declarations of conformity	TRACKLIGHT SPOT CA Fixed LUM without EMC	
PDF	Declarations of conformity UKCA		

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854455322	Folding box 1	82 mm x 82 mm x 163 mm	275.00 g	1.10 dm ³
4099854455339	Shipping box 4	178 mm x 178 mm x 178 mm	1100.00 g	5.64 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.