


PRODUCT DATASHEET

SPOT FRAME 100X300 3X D68 WT

SPOT FRAME D68 | Replaceable frame with diameter 68 mm in square shape



Areas of application

- General illumination
- Hotel rooms and corridors
- Bars, restaurants
- Accent lighting
- Galleries, museums
- Residential interiors

Product benefits

- Frame enables the change of the design from round to square shape

Product features


- Die-cast aluminum housing
- Available in 3 different sizes
- Available in 3 different colors: white, black and silver
- Suitable only for LEDVANCE SPOT GEN 2 with 68 mm cut-out in recessed ceilings



TECHNICAL DATA

Dimensions & Weight

| | |
|----------------|----------|
| Length | 300 mm |
| Width | 100 mm |
| Height | 4 mm |
| Product weight | 165.00 g |



SPOT FRAME 100X300 3X D68
WT

Materials & Colors

| | |
|---------------|-------|
| Product color | White |
| Body material | Steel |



Application & Mounting

| | |
|---------------------------|--------------|
| Ambient temperature range | -20...+40 °C |
| Mounting type | Recessed |
| Mounting location | Ceiling |
| Replaceable light source | No |

Additional product data

| | |
|----------------|---------------------------|
| Product remark | Available from March 2025 |
|----------------|---------------------------|

DOWNLOAD DATA

| Tender texts | | Document name |
|--|------------------|-------------------------------------|
|  | Tender documents | SPOT FRAME D68 100X300 3X D68 WT-en |
|  | Tender documents | SPOT FRAME D68 100X300 3X D68 WT-en |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4099854460203 | BAG 1 | 320 mm x 115 mm x 2 mm | 168.00 g | 0.07 dm ³ |
| 4099854460210 | Shipping box 20 | 328 mm x 123 mm x 98 mm | 3395.00 g | 3.95 dm ³ |
| 4099854460227 | Shipping box 40 | 340 mm x 255 mm x 110 mm | 7240.00 g | 9.54 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.