

PRODUCT DATASHEET CLAS B CL 11 W 230...240 V E14

CLASSIC B | Incandescent lamps, classic mini-candle shape



Areas of application

- Domestic applications
- Shops, hotels and restaurants
- Meeting rooms
- Shopping centers
- Luminaires with E27 or B22d holders (screw or bajonet holders)

Product benefits

- Brilliant light (CL clear version)
- Reduced glare and softened shadows (FR frosted version)

Product features

- Non-oxidizing aluminum base

TECHNICAL DATA

Electrical data

Nominal wattage	11 W
Construction wattage	11.00 W
Nominal voltage	230240 V

Photometrical data

Luminous flux	50 lm
Luminous efficacy	4 lm/W
Color temperature	2700 K
Light color	27

Light technical data

Starting time	0 s
Starting time	0.0

Dimensions & Weight

Overall length	97.00 mm
Diameter	35,0 mm
Maximum diameter	36 mm
Product weight	13.00 g

Additional product data

Base (standard designation)	E14
Mercury content	0.0 mg
Mercury-free	Yes
Design / version	Clear

Country-specific categorizations

ILCOS	IBB/C-11-235-E14-35
Order reference	CLAS B CL 11W 2

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E14
Length	104.00 mm
Height	35,0 mm
Width	35,0 mm
EPREL ID	714457
Model number	AA79267

Safety advice

- Do not touch the lamp if broken.
- Must not be used if outer bulb is defective.
- Lamp to be used only in a closed luminaire.

DOWNLOAD DATA

	Documents and certificates	Document name
POF	On-Pack-Info	ELR - exempt lamps
PDF	Declarations of conformity	GLS CLAS 11W

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321844897	Folding box 1	36 mm x 36 mm x 103 mm	18.00 g	0.13 dm ³
4008321844903	Shipping box 20	189 mm x 151 mm x 113 mm	420.00 g	3.22 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.